



Safety Data Sheet

Issue Date: 30-Apr-2021 Revision Date: 19-Aug-2021 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Bradley BT006

Other means of identification

SDS # BT006

UN/ID No UN1230

Recommended use of the chemical and restrictions on use

Recommended Use Windshield washer fluid.

Uses Advised Against For industrial and institutional use only.

Details of the supplier of the safety data sheet

Supplier Address Bradley Systems a division of TRION Chemicals 320 37th Avenue St. Charles, IL 60174 www.bradley-systems.com

Emergency Telephone Number

Company Phone Number 855-513-1314 (to reorder)

Emergency Telephone (24 hr) INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid Physical State Liquid Odor Mild odor

Classification

| Acute toxicity - Oral | Category 3 |
|--|------------|
| Acute toxicity - Dermal | Category 3 |
| Acute toxicity - Inhalation | Category 3 |
| Specific target organ toxicity (single exposure) | Category 1 |
| Flammable Liquids | Category 2 |

Signal Word

Danger

Hazard Statements

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs. Highly flammable liquid and vapor.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep cool.

Revision Date: 19-Aug-2021

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a poison center or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container in accordance to local, national and regional regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------|---------|----------|
| Methanol | 67-56-1 | 60-100 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Flush with plenty of tepid water for at least 15 minutes, lifting upper and lower lids

occasionally. Call a physician or poison control center immediately.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. If irritation persists, call a physician or poison

control center.

Inhalation Remove to fresh air immediately. Give oxygen or CPR if needed. Call a physician or poison

control center immediately.

Ingestion Induce vomiting only under the direction of a physician. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes serious eye irritation. Causes damage to organs. Vapors in high concentrations may irritate the mucous membranes. May cause drowsiness and dizziness. May cause blindness if swallowed. Toxic if inhaled. Toxic if swallowed. May cause skin irritation.

Revision Date: 19-Aug-2021

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Effect may be delayed. Pre-existing skin, eye and respiratory

disorders may be aggravated by exposure to this product.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Symptoms

Dry chemical. Carbon dioxide (CO2). Alcohol-resistant foam. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Water may reduce intensity of burning, but may also spread the burning mixture. Heat may cause containers to pressurize and burst, greatly increasing the fire hazard. Methanol burns with an invisible flame. Vapors are heavier than air and may travel to a source of ignition and flash back. Flammable liquid and vapor.

Hazardous Combustion Products Vapor forms an explosive mixture with air.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear if there is liquid methanol or if vapor levels are above the threshold limit value. Flames may be invisible during the day. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible firefighters should control runoff water to prevent environmental contamination.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Do no flush to sewer. Avoid dispersal of spilled material or runoff and prevent contact with

soil and entry into drains, sewers or waterways.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Cover drains and contain spill. Recover

liquid where possible, or dilute with water or use alcohol-resistant foam to reduce fire

hazard. Clean contaminated area with soap and water.

Methods for Clean-Up Do not use combustible material such as sawdust. Collect product using non-sparking tools

and place into approved container for proper disposal. Observe material restrictions. Clean

contaminated area with soap and water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces.

— No smoking. Keep container tightly closed. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear

protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed when not in use. Store in a cool, dry, secure

area away from sources of ignition. Storage area should be ventilated if possible. Keep

Revision Date: 19-Aug-2021

away from oxidizers, acids and bases. Keep out of the reach of children.

Incompatible Materials Avoid strong oxidizing materials, strong mineral or organic acids, strong bases and

halogenated hydrocarbons. May be corrosive to lead, aluminum, magnesium and platinum.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|------------------|----------------------------|-----------------------------|
| Methanol | STEL: 250 ppm | TWA: 200 ppm | IDLH: 6000 ppm |
| 67-56-1 | TWA: 200 ppm | TWA: 250 mg/m ³ | TWA: 200 ppm |
| | Skin designation | - | TWA: 260 mg/m ³ |
| | _ | | STEL: 250 ppm |
| | | | STEL: 325 mg/m ³ |
| | | | Skin designation |

Appropriate engineering controls

any recommended or statutory limits. Use explosion-proof ventilation equipment. Refer to

Section 7 of this SDS.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields or goggles are recommended.

Skin and Body Protection Chemical resistant gloves are recommended. Gloves should be impermeable to chemicals

and oil. Breakthrough time of selected gloves must be greater than the intended use

period.

Respiratory Protection Always use an approved respirator when vapor/aerosols are generated. If the respirator is

the sole means of protection, use a full-face supplied respirator. Use respirators and components tested and approved under appropriate government standards as NIOSH.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Facilities storing

or using this material should be equipped with an eyewash station and safety shower.

Preventative skin protection is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear blue liquidOdorMild odorColorClear blueOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined

Melting Point/Freezing Point -98 °C / -144 °F

Boiling Point/Boiling Range 64.5 °C / 148.1 °F 10.5 °C / 51 °F

 Flash Point
 10.5 °C / 51 °F
 TCC

 Evaporation Rate
 5.9
 (n-BuAc=1)

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits 36.5% Lower Flammability Limit 6.0%

Vapor Pressure 97.0 mm Hg @ 20°C

•

Revision Date: 19-Aug-2021

 Vapor Density
 1.11
 (Air=1)

 Specific Gravity
 0.791
 (Water = 1)

Water Solubility Completely soluble

Solubility in other solvents Yes

Partition Coefficient -0.82/-0.66 n-octanol/water

Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties
VOC Content

455°C (851°F)
Not determined
Not determined
Not determined
Not determined
90-100

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Vapors may form explosive mixture with air. Reacts with strong oxidizing agents and halogenated hydrocarbons. Avoid excessive heat and sources of ignition. The substance decomposes on burning and may produce irritating fumes.

Conditions to Avoid

Excessive heat and fire. Incompatible Materials. Avoid confined areas.

Incompatible Materials

Avoid contact with strong oxidizing agents, strong mineral or organic acids, strong bases and halogenated hydrocarbons. Contact with these may cause a violent or explosive reaction. May be corrosive to lead, aluminum, magnesium and platinum.

Hazardous Decomposition Products

Thermal decomposition products include oxides of carbon, formic acid, formaldehyde and other toxic fumes and gases.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes eye irritation.

Skin Contact May causes skin irritation.

Inhalation Toxic if inhaled. Irritating to the respiratory system. May cause drowsiness and dizziness.

Ingestion Toxic if swallowed.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-------------------------|------------------------|------------------------|
| Methanol | = 1187-2769 mg/kg (Rat) | = 17100 mg/kg (Rabbit) | = 85.26 mg/L (Rat) 4 h |
| 67-56-1 | | | |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC, NTP and ACGIH.

STOT - single exposure

May cause drowsiness or dizziness.

STOT – repeated exposure Material is slowly eliminated from the body; therefore, it can have cumulative toxicity effects

with repeated exposure. Methanol is a potential hazard to the fetus.

Revision Date: 19-Aug-2021

General information Handle in accordance with good industrial hygiene and safety practice.

Numerical measures of toxicity

Not determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Methanol is dangerous to aquatic life in high concentrations. A study of methanol's toxic effects on sewage sludge bacteria reported little effect on digestion at 0.1% wile 0.5% methanol retarded digestion. Methanol will be broken down into carbon dioxide and water.

Persistence/Degradability

Methanol is readily biodegradable in water.

Bioaccumulation

Methanol is not expected to bioaccumulate as the partition coefficient is <1.

Mobility

Mobility in soil is high.

Other Adverse Effects

Do not allow material to run into surface waters, waste water or soil.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal of surplus and non-recyclable products should be in accordance with applicable

regional, national and local laws and regulations. Empty containers or liners may retain

some product residues.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

US EPA Waste Number

| Chemical Name | RCRA U-Series |
|---------------|--------------------|
| Methanol | Methanol |
| 67-56-1 | 67-56-1 |
| | Waste Number: U154 |
| | Ignitable waste |

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Methanol | Toxic |
| 67-56-1 | Ignitable |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

Revision Date: 19-Aug-2021

DOT

UN/ID No UN1230 Proper Shipping Name Methanol

Hazard Class 3
Subsidiary Hazard Class None
Packing Group ||

IATA

UN/ID No UN1230
Proper Shipping Name Methanol

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

IMDG

UN/ID No UN1230 Proper Shipping Name Methanol

Hazard Class3Subsidiary Hazard Class6.1Packing GroupIIMarine PollutantNo

15. REGULATORY INFORMATION

International Inventories

| ſ | Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|---|---------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| ĺ | Methanol | Present | Χ | | Present | | Present | Χ | Present | Χ | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

| Chemical Name | RQ |
|---------------|----------|
| Methanol | 2268 kg |
| 67-56-1 | 5000 lbs |

SARA 302/304 Extremely Hazardous Substance and Emergency Planning & Notification

This product does not exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Revision Date: 19-Aug-2021

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--------------------|---------|----------|----------------------------------|
| Methanol - 67-56-1 | 67-56-1 | 60-100 | 1.0 |

CAA (Clean Air Act)

Methanol (67-56-1) is listed as a Hazardous Air Pollutants designated in CAA Section 112 (b).

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant or hazardous substances to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 | |
|--------------------|---------------------------|--|
| Methanol - 67-56-1 | Developmental | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Methanol | X | X | X |
| 67-56-1 | | | |

16. OTHER INFORMATION

| NFPA_ | Health Hazards | Flammability | Instability | Special Hazards |
|-------------|----------------|--------------|------------------|---------------------|
| | 1 | 3 | 0 | Not determined |
| <u>HMIS</u> | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| · | 2* | 3 | 0 | H |

* = Chronic Health Hazard Chronic Hazard Star Legend

Issue Date: 30-Apr-2021 **Revision Date:** 19-Aug-2021

Revision Note: Change to Section 1 only

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet