

# Safety Data Sheet

Issue Date: 21-Dec-2021

Revision Date: 21-Dec-2021

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Bradley BT010

### Other means of identification

**SDS #** BT010

### Recommended use of the chemical and restrictions on use

**Recommended Use** Sunshine Deodorizer

**Uses Advised Against** For industrial and institutional use only.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Bradley Systems  
a division of TRION Chemicals  
320 37<sup>th</sup> Avenue  
St. Charles, IL 60174  
www.bradley-systems.com

### Emergency Telephone Number

**Company Phone Number** 855-513-1314 (to reorder)  
**Emergency Telephone (24 hr)** INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)

## 2. HAZARDS IDENTIFICATION

**Appearance** Colorless to light yellow

**Physical State** Liquid

**Odor** Characteristic of name

### Classification

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

### Signal Word

**Warning**

### Hazard Statements

Causes serious eye irritation. Flammable liquid and vapor.



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	5-10
Sodium xylenesulfonate	1300-72-7	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash with soap and water. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. If symptoms develop, call a physician or poison center immediately.
<b>Ingestion</b>	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

**Most important symptoms and effects**

<b>Symptoms</b>	Direct contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. May cause skin irritation and defatting of skin with repeated/prolonged contact. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Aspiration may occur during swallowing or vomiting and cause lung damage.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry chemical. Foam. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media** Avoid contact with water as exothermic reaction may result.

**Specific Hazards Arising from the Chemical**

Emits toxic fumes under fire conditions.

**Hazardous Combustion Products** Carbon oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool containers to prevent pressure build up. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Remove all sources of ignition. Ventilate affected area.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal. Wash spill area with plenty of water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of ignition. Keep out of the reach of children.

**Incompatible Materials** Oxidizers such as bleach.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses are recommended.

<b>Skin and Body Protection</b>	Chemical resistant gloves recommended for sensitive skin.
<b>Respiratory Protection</b>	Under normal conditions, respirator is not normally required. Use NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	
<b>Appearance</b>	Liquid	
<b>Color</b>	Colorless to light yellow	
<b>Odor</b>	Characteristic of name	
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	6-8	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	Not determined	
<b>Flash Point</b>	38-50 °C / 101-123 °F	
<b>Evaporation Rate</b>	> 1	(butyl acetate = 1)
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Upper Flammability Limits</b>	12.7%	
<b>Lower Flammability Limit</b>	2%	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	1.0	(Water=1)
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	
<b>VOC Content (%)</b>	<18%	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Oxidizers such as bleach.

**Hazardous Decomposition Products**

Carbon oxides.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Avoid contact with skin. Prolong or repeated contact.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

**Component Information**

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Alcohols, C9-11 ethoxylated 68439-46-3	= 1378 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rat ) = 12870 mg/kg ( Rabbit )	= 72.6 mg/L ( Rat ) 4 h
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg ( Rat )	-	-
Propylene Glycol 57-55-6	= 20000 mg/kg ( Rat )	= 20800 mg/kg ( Rabbit )	-

**Information on physical, chemical and toxicological effects**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Carcinogenicity</b>	Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.
------------------------	---

<b>Chemical Name</b>	<b>ACGIH</b>	<b>IARC</b>	<b>NTP</b>	<b>OSHA</b>
Isopropyl alcohol 67-63-0		Group 3		X

**Legend***IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***Numerical measures of toxicity**

Not determined.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Not determined.

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Not determined.

**Other Adverse Effects**

Not determined.

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. This is non-regulated in non-bulk packages for DOT ground only per 49 CFR 173.150(f) through December 31, 2020.

**DOT**

Not regulated.

**IATA**

UN/ID No UN1993  
 Proper Shipping Name Flammable liquid, n.o.s. (isopropanol)  
 Hazard Class 3  
 Packing Group III

**IMDG**

UN/ID No UN1993  
 Proper Shipping Name Flammable liquid, n.o.s. (isopropanol)  
 Hazard Class 3  
 Packing Group III  
 Marine Pollutant No

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl alcohol	Present	X		Present		Present	X	Present	X	X
Sodium xylenesulfonate	Present	X		Present		Present	X	Present	X	X

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## **US Federal Regulations**

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	7	1.0

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **US State Regulations**

### **California Proposition 65**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Propylene Glycol 57-55-6	X		X

## **16. OTHER INFORMATION**

### **NFPA**

#### **Health Hazards**

Not determined

#### **Flammability**

Not determined

#### **Instability**

Not determined

#### **Special Hazards**

Not determined

### **HMIS**

#### **Health Hazards**

1

#### **Flammability**

2

#### **Physical Hazards**

0

#### **Personal Protection**

A

**Issue Date:**

21-Dec-2021

**Revision Date:**

21-Dec-2021

**Revision Note:**

New Format

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**