

TURBO Yellow Magic*

WATER-BASED INK, FLEXO UV INK, AND COATINGS CLEANER

KEEP OUT OF REACH OF CHILDREN.

See other cautions on back/side panel NET CONTENTS: ONE U.S. QUART

A DIVISION OF TRION CHEMICALS®
320 37th Avenue • St. Charles, IL 60174
1-800-252-1114 • www.bradley-systems.com

TURBO Yellow Magic® is an aggressive Flexographic Press Wash that removes both Water-Based & UV chemistries.

TURBO Yellow Magic® is:

- Non-flammable
- Non-combustible
- Highly Effective on Tougher Coatings

USAGE DIRECTIONS:

- This product as packaged, is ready-to-use and should not be diluted with water.
- May be used as a spray and wipe application; or spray, brush and wipe application. When clean, rinse with potable water.
- Machine Cleaning: May be used in Heated, Anilox or Photopolymer Plate cleaning machines. Use undiluted product for normal cycle time, then rinse the parts in potable water.

FOR DISPOSAL AFTER USE:

Dispose of contents/container to an approved waste disposal plant.

891952001067

BTTYM12 0223 Made in the U.S.A. **DANGER:** Causes severe skin burns and eye damage. May be corrosive to soft metals.

Do not breathe mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection, face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a Poison Center or doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a Poison Center or doctor. Store locked up. Dispose of contents/container to an approved waste disposal plant.

CONTAINS (CAS#): Water (7732-18-5), Dipropylene glycol mono methyl ether (34590-94-8), Sodium Gluconate (527-07-1), 2-Butoxyehanol (111-76-2), Sodium Xylene Sulfonate (1300-72-7), Potassium hydroxide (1310-58-3), Sodium Hydroxide (1310-73-2), Amines, C10-C16-alkyldimethyl, Noxides (70592-80-2), Sodium Chloride (7647-14-5), Sodium Sulfate (7757-82-6), Hydrogen peroxide (7722-84-1)

An SDS for this product is available. Please read the SDS carefully and follow all directions when using or handling this product. Never reuse empty container. Incompatible materials may adversely react.